

ERC Trio EX 3952 Electric Paper Cutter - 220V

http://www.papercutterstore.com/Power_Paper_Cutter_80_14669.html



PRODUCT ID # : 14669

OUR PRICE

LIST PRICE :	\$3699.00
INSTANT SAVING :	- \$1000.00
SALES PRICE :	\$2699.00

PRODUCT DESCRIPTION

ERC Trio Print Shop Electric Paper Cutter 220V EX 3952 Electric Paper Cutter with a 16.9 Inch Cutting Length The ERC Trio EX 3952 Automatic Electric Paper Cutter is a 220 volt version of the ERC Trio EX 3951 Electric Paper Cutter. A dedicated 220 volt 15 amp electrical supply is required. This is a Best Value in Electric Paper Cutters. The ERC Trio EX 3952 Automatic Electric Paper Cutter will cut 400 sheets of 16.8 x 24 paper in a single operation 17 inches from blade to backstop . With a two inch cut height, re sharpenable and user replaceable cutting blade, the EX 3952 is easy to use and maintain. Triple safety settings for blade operation, fast action clamping, accurate optical cutting line and front cutting safety shield combine to make the EX 3952 Automatic Electric Paper Cutter a superior Electric Paper Cutter for a large variety of form sizing applications. A heavy duty steel stand is included. Please note you can choose to either use or not use the stand. The ERC Trio EX 3952 Electric Paper Cutter can also be used as a Table Top Paper Cutter. ERC 450E Light Duty Electric Paper Cutter ERC 450E Electric Paper Cutter will fit into your budget and give you performance to suit your needs. This Electric Paper Cutter has a cutting width of 17.7 inches and accurately cuts Paper Stacks up to 1.25 inches high 220 sheets . It is a smaller version of the ERC 650E Paper Cutting Machine. The Backstop is manually controlled, advances smoothly, extends to the rear edge of cutting surface, and can be locked into position. Cutting accuracy to within 0.2 mm. The Blade to Backstop depth is 15 inches. The Cutting Blade and Electric Paper Clamp allow for a Narrow Cut of 1 3 8 inches. Work surface of this Light Duty Industrial Paper Cutter is 26 x 22 inches. Blade Action on the ERC 450E requires two hand operation a user protecting Safety Feature.

PRODUCT SPECIFICATION

Max. Paper Cutting Width	16.8 in.
Max. Paper Cutting Length	24 in.
Max. Paper Cutting Height	2 in.
Blade to backstop	17 in.
Voltage	220 Volt
	Single
	Phase volts

DIMENSIONS

Weight:	180.00 lbs.
Width:	27.00 inches
Length:	24.60 inches
Height:	10.00 inches

Heavy duty steel stand included WARRANTY FOR ELCTRIC CUTTERS, MANUAL CUTTERS AND TIMMERS, and STAPLERS ERC warrants to the original purchaser for a period of time from the date of shipment, that its products will be free from defects in material and workmanship when used under normal operating conditions. Warranty stages are ELECTRIC CUTTERS Three 3 months labor and twelve 12 months limited warranty on parts excluding wearables ; MANUAL CUTTERS AND TRIMMERS 15 inches and smaller Two 2 year repair or replacement coverage excluding wearables ; MANUAL CUTTERS AND TRIMMERS Greater than 15 inches One 1 year repair or replacement coverage excluding wearables ; STAPLERS One year repair or replace coverage excluding wearables . With the exception of ELECTRIC CUTTERS and MANUAL CUTTERS AND TRIMMERS with a Shipping Weight of 60 lbs. or over, all items are return to depot for warranty service. Improper use, cutting blades, and user maintenance requirements are not covered by this warranty. ERC agrees to repair or replace, at its option, any defective part or component covered by this warranty, provided there was no abuse and ERC must first receive written notice of a defect within the applicable warranty period. With the exception of the Labor warranty for ELECTRIC CUTTERS, warranties do not include labor or the payment of any labor charges or incidental or consequential expenses. All parts are shipped FOB Brentwood, NY. Warranty claims must be submitted with replacement part order. Examples of wearables are knives, sticks, light bulbs, rubber rollers, belts, feed stones, separator pads, fuses, gears, chains, clutches, brakes, etc.

PRODUCT FEATURES

PRICE INCLUDES DOCK TO DOCK SHIPPING!

All Metal Construction

Solid Steel Blade Carrier

Solid spindle guided Paper Clamp applies variable, even vertical pressure along the Cutting Length

Blade/Knife Lock

Easy Blade Change

Adjustable Steel Paper Guide in mm. / inches

Micro Adjustment of Blade

Resharpenable Blade

Optical Cutting Line

Fine Back Gauge (Back Stop) Adjustments with calibrated hand crank on spindle guided Back Gauge. Back Gauge moves in 1 mm.

increments. Back Gauge accuracy is plus/minus .5mm/.019 inches

External Blade Depth Adjustment

Automatic Blade Return from any position
Disc Brake for Instant Blade Stop
Hand Guard Shield for cutting safety on the
Front and Rear Table
Two-hand operation for safety
Safety Lock with key and Main Switch
Optional - adjusting leveling/screw feet are
included
Includes: 2 keys, Power Cord, Knife Removal
Sheath, Knife Removal Tool, Crank Handle and
Screw, T3 and T5 Screw Drivers for changing
the Blade and for Blade Micro Adjusting, 2 Knife
Removal Screw Handles, Sleeve Set,
Hexagonal Driver